



MEMORANDUM

TO: Prospective Bidders

FROM: Johnna M. Allen, Purchasing Director

RE: Request for Bid - #001-17

DATE: January 18, 2017

Enclosed you will find the necessary information for preparing and submitting your bid for **Civic Center Restroom Renovations** for the City of Rome.

A pre-bid walk thru is scheduled for **January 24, 2017 at 10:00 a.m.**

The deadline for submitting your bid is **January 31, 2017 at 10:00 a.m.**

If you have further questions, please do not hesitate to call my office at 706-236-4410.

Johnna M. Allen
Purchasing Director

INSTRUCTIONS FOR BIDDERS

I. Bids must be received by **January 31, 2017 at 10:00 a.m.**

II. Bids must be delivered to:

City of Rome – Purchasing Department
Attention: Johnna M. Allen
601 Broad Street
P.O. Box 1433
Rome, Georgia 30162

III. Bids must be sealed and marked:

“001-17 Civic Center Restroom Renovations”

IV. Bids must be complete and include:

- A. Completed Bid Proposal Form
- B. Executed Bidder's Declaration
- C. Executed Certificate of Non-Discrimination
- D. Executed Affidavit of Non-Collusion
- E. Prompt Payment Affidavit
- F. Request for Taxpayer I.D. Number
- G. Drug-Free Workplace Certification
- H. E-Verify Compliance Affidavit
- I. SAVE Compliance Affidavit

All bids submitted shall be subject to acceptance or rejection and the City of Rome specifically reserves the right to accept or reject any or all bids, to waive any technicalities and formalities in the bidding.

Bidder shall submit all required forms and information simultaneously with sealed bids, which forms and information become a part of the property of the City of Rome and will not be returned to bidders unless a written request to withdraw is received prior to **January 31, 2017 @ 10:00 a.m.**

V. Payment:

When contracts are awarded, payment by the City of Rome will be the normal 30-day cycle. However, the City does make every effort to honor all discounts.

REQUIREMENTS FOR BIDDERS

These items apply to and become a part of the terms and conditions of the bidders bid. Any exceptions must be in writing.

Notice is hereby given that the City of Rome will receive sealed bids from interested parties until **January 31, 2017 at 10:00 a.m.** at its offices located at 601 Broad Street, Rome, Georgia 30162-1433.

Any bids received thereafter will not be considered.

Bids will be publicly opened and read at the City of Rome Purchasing Department located at 601 Broad Street on the day and at the hour specified.

The purchaser may consider as non-responsive, any bid in which there is an alteration of, or departure from the bid form hereto attached.

The bid will be awarded to the lowest reliable bidder complying with the conditions of the invitation for bid. The bidder to whom award is made will be notified at the earliest possible date. The purchaser reserves the right to reject the bid of a bidder who has previously failed to perform properly or complete on time, contracts of a similar nature, or the bid of a bidder who, in the sole opinion and discretion of the purchaser is not in a position to perform the contract, or whose name appears on the United States Comptroller General's list of ineligible contractors.

Bids may be withdrawn by written or faxed request, provided such withdrawals are received prior to bid opening date.

NOTE: Unless stated on the bid form the bid submitted will assume all specifications will be met. Please note on the bid form all exceptions.

Specifications for Civic Center Restroom Renovations

The contractor will be required to provide all labor, tools, equipment and materials to complete interior renovations to the Civic Center Restrooms as described.

Renovation Time Line

1. Due to public event scheduling, it is imperative that Contractors commit to a strict time frame for completion of project. The time frame allotted is February 5, 2017 to February 28, 2017. An event is planned for March 1, 2017 and restroom facilities must be available. Weekend work may be necessary to complete within time frame. Should the project be incomplete on March 1, 2017, the contractor will be required to provide Portable Toilet Trailer Units for the scheduled event. There will be a \$200 per day penalty for not completing the project on time.

Bidders Response: _____

Scope of Work

1. All building permits are the responsibility of the contractor.

Bidders Response: _____

2. Demolish restroom areas for Women and Men in preparation for replacing floors, walls, ceilings, stall partitions, toilets, sinks and other fixtures.

Bidders Response: _____

3. Replace floors with 12 X 12 Florim USA Brand porcelain tiles (Spring Valley color) which are available at Tile Factory Outlet. Small, dark brown grout joints are to be used.

Bidders Response: _____

4. Walls are to be tiled with same tiles as flooring 5 feet in height. Remaining wall space to be sheetrock and painted with Sherwin Williams paint; color to be chosen by the City of Rome.

Bidders Response: _____

5. Toilet Partitions are to be replaced with black solid floor-to-ceiling anchored, water and fire resistant partitions. Urinal Screens may be wall mounted and match materials/color of partitions. Hard plastic w/aluminum hardware preferred. (Specifications in the attached sheet)

Bidders Response: _____

6. Restroom fixtures (toilets/sinks) will be commercial grade white fixtures with at least one handicap accessible stall in each restroom.

Bidders Response: _____

- Countertops should be black in color and made of a durable solid material such as man-made quartz. Automatic, brushed nickel commercial faucet fixtures for the sinks.

Bidders Response: _____

- Automatic commercial soap dispensers, jumbo roll toilet paper holders and jumbo roll paper towel holders should be included in estimate. Black plastic fixtures are required.

Bidders Response: _____

- Exterior restroom entrance doors will be painted with Sherwin Williams paint; color chosen by the City of Rome.

Bidders Response: _____

- Ceilings will be replaced with drop ceiling and commercial lights to match other fixtures.

Bidders Response: _____

General Conditions:

- The contractor must provide a certificate of insurance in the amount of \$2,000,000.00 in General Liability insurance and Georgia Law required Workers Compensation insurance with the City of Rome shown as the additionally insured. Workers Compensation
- All work areas must be kept clean and free of work debris.
- The contractor must provide a receptacle for all work related debris or must contain and remove the materials as part of the project
- Because the civic center is frequented by visitors and employees on a daily basis, normal care should be exercised to insure that occupants are protected from injury and vehicles from damage.
- If progress payments are requested, ten- per cent retainage will be required at all time.

Bidders Response: _____

After completion, inspection and acceptance the final payment will be paid within 30 days unless otherwise requested.

BID FORM

TO: City of Rome – Purchasing Department
ATTN: JOHNNNA M. ALLEN
P.O. Box 1433
601 Broad Street
Rome, Georgia 30162-1433

BID PKG. “001-17 Civic Center Restroom Renovations”

Quantity	Description	TOTAL COST
1	Restroom Renovations	_____

Please include a list of materials with fixture brand names to be used in your detail.

Expected Completion Date: _____

All bids submitted shall be subject to acceptance or rejection and the City of Rome specifically reserves the right to accept or reject any or all bids, to waive any technicalities and formalities in the bidding.

The undersigned understands that any conditions stated above, clarifications made to the above or information other than that requested should be under separate cover and to be considered only at the discretion of the Purchasing Department.

Name of Individual, Partner
or Corporation

Company

Title

Address

Authorized Signature

City, State, Zip Code

Company phone number

BIDDERS DECLARATION

The bidder understands, agrees and warrants:

That the bidder has carefully read and fully understands the full scope of the specifications.

That the bidder has the capability to successfully undertake and complete the responsibilities and obligations in said specifications.

That the bidder has liability insurance and a declaration of insurance form is included in the bid package.

That this bid may be withdrawn by requesting such withdrawal in writing at any time prior to **January 31, 2017 at 10:00 a.m.** but may not be withdrawn after such date and time.

That the City of Rome reserves the right to reject any or all bids and to accept that bid which will, in its opinion, best serve the public interest. The City of Rome reserves the right to waive any technicalities and formalities in the bidding.

That by submission of this bid the bidder acknowledges that the City of Rome has the right to make any inquiry or investigation it deems appropriate to substantiate or supplement information supplied by the bidder.

If a partnership, a general partner must sign.

If a corporation, the authorized corporate officer(s) must sign and the corporate seal must be affixed to this bid.

BIDDER:

Name

Title

Name

Title

AFFIX CORPORATE SEAL (If Applicable)

CERTIFICATE OF NON-DISCRIMINATION

In connection with the performance of work under this contract, the bidder agrees as follows:

The bidder agrees not to discriminate against any employee or applicant for employment because of race, creed, color, sex, national origin, ancestry or disability. The vendor shall take affirmative action to insure that employees are treated without regard to their race, creed, color, sex, national origin, ancestry or disability. Such action shall include, but not be limited to the following: employment, upgrading, demotion, transfer, recruiting or recruitment, advertising, lay-off or termination, rates of pay or other compensation and selection for training, including apprenticeship.

In the event of the bidder's non-compliance with this non-discrimination clause, the contract may be canceled or terminated by the City of Rome. The bidders may be declared, by the City of Rome, ineligible for further contracts with the City of Rome until satisfactory proof of intent to comply shall be made by the vendor.

The bidder agrees to include this non-discrimination clause in any sub-contracts connected with the performance of this agreement.

BIDDER

SIGNATURE

TITLE

NON-COLLUSION AFFIDAVIT

The following affidavit is to accompany the bid:

STATE OF

COUNTY OF

Owner, Partner or Officer of Firm

Company Name, Address, City and State

Being of lawful age, being first duly sworn, on oath says that he/she is the agent authorized by the bidder to submit the attached bid. Affidavit further states as bidder, that they have not been a party to any collusion among bidders in restraint of competition by agreement to bid at a fixed price or to refrain from bidding; or with any office of the City of Rome or any of their employees as to quantity, quality or price in the prospective contract; or any discussion between bidders and any official of the City of Rome or any of their employees concerning exchange of money or other things of value for special consideration in submitting a sealed bid for:

FIRM NAME _____

SIGNATURE _____

TITLE _____

Subscribed and sworn to before me this _____ day of _____ 20_____

NOTARY PUBLIC

STATE OF GEORGIA PROMPT PAY ACT AFFIDAVIT

THIS AFFIDAVIT IS TO ACCOMPANY THE BID

GEORGIA PROMPT PAY ACT: The Georgia Prompt Pay Act was enacted by the General Assembly in 1994 and took effect January 1, 1995. This act requires owners to pay contractors within 15 days of receipt of a pay request by the owner or the owner's representative. If payment is not made the owner shall pay the contractor 1% per month interest on the delayed payment. Additionally, the contractor must pay subcontractors within 15 days of receipt of payment from the owner.

This Act is Code Section 13-11-1 (Georgia Laws of 1994, p. 1398 par. 4)

Firm Name: _____

Signature: _____

Title: _____

Subscribed and Sworn to before me this _____ day of _____, 20_____

Notary Public

CITY OF ROME

DRUG-FREE WORKPLACE CERTIFICATE

By signature on this certificate, the Bidder certifies that the provisions of O.C.G.A. Section 50-24-1 through 50-24-6 related to the "Drug-Free Workplace Act" will be complied with in full. The Bidder further certifies that:

1. A drug-free workplace will be provided for the Bidder's employees during the performance of the contract; and
2. Each contractor who hires a subcontractor to work in a drug-free workplace shall secure from that subcontractor the following written certification: "As part of the subcontracting agreement with (contractor's name), (subcontractor's name) certifies to the contractor that a drug-free workplace will be provided for the subcontractor's employees during the performance of this contract pursuant to O.C.G.A. Section 50-24-3(b)(7)."

By signature on this certificate, the Bidder further certifies that it will not engage in the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana during the performance of the contract.

Bidder: _____

By: _____

Name Printed: _____

Title: _____

Date: _____

CITY OF ROME, GEORGIA
E-VERIFY COMPLIANCE AFFIDAVIT

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services on behalf of the City of Rome, Georgia has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for the physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A, § 13-10-91 (b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification number
(Not Required if Less than 10 Employees)

Signature (if less than 10 employees)

Date of Authorization

Name of Contractor

Name of Project

Name of Public Employer

I hereby declare under penalty of perjury that the foregoing is true and correct.

Executed on _____, _____, 20____ in _____(city) _____ (state).

Signature of Authorized Officer or Agent

Printed Name and Title of Authorized Officer or Agent

SUBSCRIBED AND SWORN BEFORE ME
ON THIS THE _____ DAY OF _____, 20____

NOTARY PUBLIC
My Commission Expires:

CITY OF ROME, GEORGIA

SAVE COMPLIANCE AFFIDAVIT

O.C.G.A § 50-36-1(e) (2) Affidavit

By executing this affidavit under oath, as an applicant for a (n) Contract or Services, as referenced O.C.G.A. C. § 50-36-1, from the City of Rome, Georgia, the undersigned applicant verifies one of the following with respect to my application for a public benefit:

- 1) _____ I am a United State citizen.
- 2) _____ I am a legal permanent resident of the United States
- 3) _____ I am a qualified alien or non-immigrant under the Federal Immigration and Nationality Act with an alien number issued by the Department of Homeland Security or other federal immigration agency.
My alien number issued by the Department of Homeland Security or other federal immigration agency is: _____.

The undersigned applicant also hereby verifies that he or she is 18 years of age or older and has provided at least one secure and verifiable document, as required by O.C.G.A. § 50-36-1(e) (1), with this affidavit. The secure and verifiable document provided with this affidavit can best be classified as:

_____.

In making the above representation under oath, I understand that any person who knowingly and willfully makes a false, fictitious, or fraudulent statement or representation in an affidavit shall be guilty of a violation of O.C.G.A. § 16-10-20, and face criminal penalties as allowed by such criminal statute.

Executed in _____ (city), _____ (state).

Signature of Applicant

Name of Applicant Printed



SUBSCRIBED AND SWORN

BEFORE ME ON THIS THE

_____ DAY OF _____, 20_____


NOTARY PUBLIC

My Commission Expires:



FLOOR PLAN
SCALE 1/4" = 1'-0"

PLUMBING NOTES:
ALL PLUMBING WORK AND MATERIALS SHALL BE INSTALLED IN ACCORDANCE WITH ALL APPLICABLE ORDINANCES AND REGULATIONS. CONTRACTOR SHALL OBTAIN APPROVALS REQUIRED FROM REGULATING AGENCIES HAVING JURISDICTION BEFORE STARTING WORK.
ALL PLUMBING WORK AND MATERIALS SHALL MEET THE REQUIREMENTS OF THE LATEST EDITION(S) OF THE LOCAL PLUMBING CODE.
PLUMBING CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS, FEES AND INSPECTIONS REQUIRED BY GOVERNING AUTHORITIES.




TOILET ACCESSORIES PLAN
SCALE 1/4" = 1'-0"

GENERAL NOTES:


1. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VISITING THE SITE BEFOREHAND AND BECOMING FAMILIAR WITH THE EXISTING BUILDING COMPLEX AND THE SCOPE OF WORK TO BE PERFORMED.
2. IT SHALL BE THE FULL RESPONSIBILITY OF THE CONTRACTOR TO PROVIDE ALL DEMOLITION WORK REQUIRED TO SECURE THE CONSTRUCTION OF WORK INDICATED ON THESE CONTRACT DOCUMENTS, WHETHER OR NOT SPECIFICALLY MENTIONED AND/OR IDENTIFIED ON THE DRAWINGS.
3. ALL DIMENSIONS AND EXACT LOCATIONS OF ITEMS AS SHOWN ON THE DRAWINGS ARE SUBJECT TO VERIFICATION OF EXISTING CONDITIONS. ANY DISCREPANCY AFFECTING THE CONSTRUCTION ACTIVITIES AND INTENT OF WORK TO BE PERFORMED SHALL BE BROUGHT TO THE ATTENTION OF THE CITY BEFORE PROCEEDING WITH THE WORK.
4. CONTRACTOR SHALL TAKE ALL NECESSARY MEASURES TO COMPLETELY PROTECT EXISTING STRUCTURES, UTILITIES AND ANY OTHER ITEMS TO REMAIN. DAMAGED EXISTING ELEMENTS SHALL BE REPLACED BY THE CONTRACTOR TO LIKE NEW CONDITION.
5. REPAIR ALL FLOOR, WALL AND CEILING CONDITIONS, WHERE EXISTING ELEMENTS HAVE BEEN REMOVED AND/OR DISTURBED, TO MATCH ADJACENT SURFACES. PROVIDE SMOOTH CLEAN SURFACES FOR THE INSTALLATION OF NEW FINISHES.

TOILET ACCESSORIES LEGEND

- (A) 18"x24" FIXED, TILT FRONT MIRROR
- (B) 18"x30" FIXED CHANNEL FRAME MIRROR
- (C) PAPER TOWEL DISPENSER
- (D) TRASH RECEPTACLE
- (E) JUMBO ROLL TOILET PAPER DISPENSER
- (F) 36" LONG GRAB BAR
- (G) 42" LONG GRAB BAR



ELEV. 'C'




ELEV. 'B'

ELEV. 'A'

INTERIOR ELEVATIONS-WOMENS TOILET


SCALE 3/8" = 1'-0"




ELEV. 'D'

TOILET ACCESSORIES LEGEND

- (A) 18"x24" FIXED, TILT FRONT MIRROR
- (B) 18"x30" FIXED CHANNEL FRAME MIRROR
- (C) PAPER TOWEL DISPENSER
- (D) TRASH RECEPTACLE
- (E) JUMBO ROLL TOILET PAPER DISPENSER
- (F) 36" LONG GRAB BAR
- (G) 42" LONG GRAB BAR



ELEV. 'G'



ELEV. 'E'


ELEV. 'F'

INTERIOR ELEVATIONS-MENS TOILET


SCALE 3/8" = 1'-0"

TOILET ACCESSORIES LEGEND

- (A) 18"x24" FIXED, TILT FRONT MIRROR
- (B) 18"x30" FIXED CHANNEL FRAME MIRROR
- (C) PAPER TOWEL DISPENSER
- (D) TRASH RECEPTACLE
- (E) JUMBO ROLL TOILET PAPER DISPENSER
- (F) 36" LONG GRAB BAR
- (G) 42" LONG GRAB BAR



ELEV. 'H'




TYP. GRAB BAR & TOIL. ACCESS. LAYOUT

1/2" = 1'-0" REFER TO TOILET ACCESSORIES LEGEND FOR TOILET ACCESSORY ITEMS.

HANDICAPPED MOUNTING HEIGHTS

- WATER CLOSET: FINISH FLR. TO TOP OF SEAT 17" TO 19".
- URINALS: SHALL HAVE ELONGATED RIM W/ RIM HT. @ 17" A.F.F. MAX.
- FLUSH CONTROLS: HAND OPERATED OR AUTOMATIC @ 44" A.F.F. MAX.
- LAVATORIES: MOUNTED W/ RIM NO HIGHER THAN 34" A.F.F. AND WITH A MIN. CLEARANCE OF 29" A.F.F. TO BOTTOM OF APRON.
- FAUCETS: LEVER-OPERATED, PUSH-TYPE OF ELECTRONICALLY CONTROLLED MECHANISMS.
- MIRRORS: MOUNTED W/ BOTTOM EDGE OF REFLECTING SURFACE @ 40" A.F.F. MAX.
- GRAB BARS: MOUNTED @ 33" TO 36" A.F.F. TO CENTER OF BAR.





SierraSeries® WATER- AND FIRE-RESISTANT SOLID COLOR REINFORCED COMPOSITE TOILET PARTITIONS AND URINAL SCREENS

1090 SERIES

Specify Product Application:

- Toilet Partitions
- Dressing Compartments
- Shower Dividers
- Urinal Screens
- With Outswing Door
- With Institutional Hardware (.67)

Specify Series Required:


- Floor-Anchored
- Overhead-Braced
- Post-to-Ceiling (Screens only)
- Wall-Hung (Screens only)
- Floor-to-Ceiling Anchored**
- Ceiling-Hung
for 8' 0" (244cm) Ceilings or
as required up to 10' 0" (305cm) Ceilings

- 1091 Series
- 1092 Series
- 1093 Series
- 1095 Series
- 1096 Series
- 1098 Series

Gap-Free:

- 1091G Series
- 1092G Series
- 1096G Series
- 1098G Series

GraffitiOff™
Surface



Solid Color
Reinforced
Composite
Material

STANDARD-SIZE COMPONENTS:

Stiles: For compartments — 3", 4", 5", 6", 7", 8", 10", 12", 16", 18", 20", or 24" (8, 10, 13, 15, 18, 20, 25, 30, 41, 46, 51, or 61cm) wide; floor-anchored — 69" (175 cm) high; overhead-braced — 83" (211cm) high; floor-to-ceiling anchored — height as required; ceiling-hung — 83" (211cm) high for 8' 0" (244cm) ceilings or as required up to 10' 0" (305cm) ceilings.

Doors: 58" (147cm) high. Inswing doors are standard for 22" to 37" (56-94cm) widths in whole-inch increments. Outswing doors are standard for 25" to 37" (64-94cm) widths in whole-inch increments.

Wall Posts: — 1-1/2" wide x 58" high (4 x 147cm).


Panels: For compartments — Up to 84" (213cm) wide; 58" (147cm) high. For wall-hung screens — 18" or 24" (46 or 61cm) wide; 42" or 48" (107 or 122cm) high. For ceiling-hung and post-to-ceiling screens — 24", 36", 48", or 60" (61, 91, 122, or 152cm) wide; 58" (147cm) high.

Posts: For 1093 Series post-to-ceiling screens only. 1-1/4" (3cm) square. 10 ft (305cm); cut to required height in field.


^a Minimum 8" (20cm) wide stile recommended for ceiling-hung and floor-anchored compartments.

^b Use outswing doors to comply with local codes requiring access for physically disabled persons.


COMPARTMENT AND SCREEN ELEVATIONS




**1091 Series
Floor-Anchored**




**1092 Series
Overhead-Braced**




**1096 Series
Floor-to-Ceiling Anchored**



**1098 Series
Ceiling-Hung**



**1093 Series
Post-to-Ceiling Screen**




**1095 Series
Wall-Hung Screen 42" or 48"**

⊕ These mounting points require backing. For suggested backing methods, Bobrick Advisory Bulletins TB-32 for ceiling-hung installations and TB-46 for floor-anchored are available upon request.


TYPICAL INSTALLATION DETAILS

Ceiling Leveling Device




Front Side

Floor Leveling Device



Front Side


Overhead-Bracing




Wall Bracket Stilette (cross section)

TYPICAL HARDWARE DETAILS

Heavy-Duty Hardware (standard)



Institutional Hardware (.67 option)



Standard gaps are provided at all walls and between components to allow for hardware attachment.

Wall gaps are standard 1/2" to 1"

MATERIALS:

Stiles — 3/4" (19mm) thick, Solid Color Reinforced Composite with GraffitiOff™ surface thermoset and integrally fused into one homogenous piece. Surface, edge, core are to be the same color.

Leveling Device: 7 gauge, 3/16" (5mm) thick, corrosion-resistant, chromate-treated, double zinc-plated steel angle leveling bar bolted to stile; furnished with 3/8" (10mm) stainless steel diameter threaded wedge anchor, hex nuts, lock washer, flat washers, and shoe retainers. **Shoe:** 18-8, type-304, 22-gauge (0.8mm) stainless steel with satin finish; 4" (102mm) high.

Panels — 1/2" (13mm) thick, Solid Color Reinforced Composite with GraffitiOff™ surface thermoset and integrally fused into one homogeneous piece. Surface, edge, core are to be the same color.

Urinal Screens — 1/2" (13mm) thick, Solid Color Reinforced Composite with GraffitiOff™ surface thermoset and integrally fused into one homogenous piece. Surface, edge, core are to be the same color.

Doors — 3/4" (19mm) thick, Solid Color Reinforced Composite with GraffitiOff surface thermoset and integrally fused into one homogeneous piece. Surface, edge, core are to be the same color.

Posts (for 1093 Series screens only) — 1-1/4" (32mm) square tubing; 18-8, type-304, 18-gauge (1.2mm) stainless steel with satin finish. Floor and ceiling connections are constructed of 18-8, type-304, heavy-gauge stainless steel. Furnished in 10-ft (305-cm) lengths; to be cut in field to job specifications.

Edges — SCRC is a natural material comprised of wood chips, dyes and resins with a melamine surface. Edges lack a melamine surface and may discolor in environments with significant UV lighting. Discoloration of edges, should it occur, is not covered under warranty.

Headrail (for 1092 Series compartments only) — Extruded anodized aluminum with satin finish. Enclosed construction with sloping top. Face has raised grip-resistant edge.

Designer's Notes: Headrails with integral curtain tracks and hooks are available for compartments without doors. Optional vinyl curtains are available.

Wall Posts — 1" x 1-1/2" (25 x 38mm) tubing; 18-8, type-304, 16-gauge (1.6mm) stainless steel with satin-finish. 58" (147cm) high, pre-drilled for door hardware.

Heavy-Duty Hardware (standard) — Hinges, door latches, door keepers, clothes hooks, and mounting brackets are constructed of 18-8, type-304, heavy-gauge stainless steel with satin finish. Threaded inserts are factory installed for securing hinges and door latches. Theft-resistant, stainless steel pin-in-head Torx screws are furnished for door hardware and all mounting brackets. Barrel hinge is adjustable to adjust door swing of unoccupied toilet compartment from partially open to fully closed. Toilet compartment door is locked from inside by sliding door latch into keeper. Threaded inserts are factory installed to secure door hinges and latch. Track of door latch prevents inswing door from swinging out beyond stile; on outswing door, the door keeper prevents it from swinging in beyond stile. Mounting screws for stile to panel bracket, latch keeper, and coat hook connections are through-bolted.

Institutional Hardware (.67 option) — Hinges, door latches, door keepers, clothes hook, U-channels, and angle brackets are constructed of 18-8, type-304, heavy-gauge stainless steel with satin finish: one-piece, full-height hinge is 16 gauge (1.6mm); one-piece door keeper is 11 gauge (3.2mm); one-piece, full-height U-channels and angle brackets are 18 gauge (1.2mm). U-channels secure panels to stiles, and angle brackets secure panels and stiles to walls. Door latch slides on a shock-resistant nylon track. Optional two door stops (#1002510) prevent door from being kicked in/out beyond stile by vandals. Theft-resistant, stainless steel pin-in-head Torx screws are furnished for door hardware, U-channels, and angle brackets. Doors are equipped with a self-closing hinge. Threaded inserts are factory installed to secure door hinge and latch. Mounting screws for stile to panel bracket, latch keeper, and coat hook connections are through-bolted. Track of door latch prevents inswing door from swinging out beyond stile; on outswing door, the door keeper prevents it from swinging in beyond stile.

To specify institutional hardware, add suffix .67 to series number. Example: specify 1092.67 for overhead-braced partitions furnished with institutional hardware, including factory-installed threaded inserts for door hardware attachment.

INSTALLATION:

Bobrick installation instructions are packed with each shipment and are available also in advance on request.

Notes:

1. Ceiling-hung and floor-to-ceiling toilet compartments require structural members (not furnished by Bobrick) in ceiling. For suggested types of ceiling support systems, see Bobrick Advisory Bulletin TB-32.
2. Wall backing is required to secure the mounting brackets of panels, stiles, and wall posts. For suggested wall backing, see Bobrick Advisory Bulletin TB-46.
3. Floor-anchored stiles are furnished with expansion shields and threaded rods. The expansion shields require minimum 2" (50mm) penetration into minimum 3" (75mm) thick structural concrete.
4. Bobrick stainless steel partition-mounted washroom accessories are available for mounting in panels between two compartments. See current Bobrick Catalog for description of accessories. Cutouts in panels can be pre-cut for Bobrick models at factory if location and size of all cutouts and Bobrick model numbers are furnished at time of order.
5. When the cam has been set at the desired free resting position, "either closed or open" the top of the affixed components will be aligned.

GUARANTEE:

Bobrick toilet partitions including all hardware and mounting brackets are guaranteed to be free from defects in material and workmanship for a period of one year from date of purchase. Any products returned to Bobrick under this guarantee will be repaired or replaced at no charge. **25-Year Warranty:** Bobrick extends a twenty-five-year limited warranty from date of purchase for SierraSeries Solid Color Reinforced Composite partition panels, doors, and stiles against breakage, delamination and corrosion when materials are properly installed, and normally used.

SPECIFICATION:

Water-resistant, solid color reinforced composite _____ (insert one: toilet partitions, dressing compartments, shower dividers, urinal screens) shall be _____ (insert one: overhead-braced toilet partition or floor anchored, wall-hung, post-to-ceiling urinal screens). Stiles, panels and doors shall be constructed of Solid Color Reinforced Composite with GraffitiOff surface thermoset and integrally fused into one homogeneous piece. Surface, edges and core are to be same color. Solid Color Reinforced Composite material shall be covered by a 25-year limited warranty against breakage, corrosion, and delamination. Stiles and doors shall be 3/4" (19mm) thick; panels shall be 1/2" (13mm) thick. All units shall meet ICC and NFPA Class B or UBC Class II, ASTM E 84 Fire-Resistance Standards. Stiles shall have leveling device that is concealed by a one-piece, type-304, satin-finish stainless steel shoe that is 4" (102mm) high. Stiles, panels and doors shall be _____ (insert color name and number from current Bobrick catalog). Headrails for overhead-braced compartments shall be anodized aluminum with satin finish. "All door hardware and mounting brackets shall be type-304 stainless steel with satin finish. All doors shall be supplied with two hinges. Threaded inserts shall be factory installed for securing door hinges and latches. Theft-resistant, stainless steel pin-in-head Torx screws shall be furnished for door hardware and all mounting brackets. Through bolts shall be used for securing latch keeper, clothes hook and panel-to-stile brackets. A clothes hook shall be furnished for each door with heavy duty hardware option. Hinges shall be adjustable to hold doors of unoccupied compartments partially open or fully closed.

"To specify Institutional hardware, replace end of specification paragraph with: .67 option All door hardware, U-channels, and angle brackets shall be type-304 stainless steel with satin finish: one-piece, full-height hinges shall be 16 gauge (1.6mm); one-piece door keepers shall be 11 gauge (3.2mm); one-piece, full-height U-channels and angle brackets shall be 18 gauge (1.2mm). U-channels shall be furnished to secure panels to stiles, and angle brackets furnished to secure panels and stiles to walls. Doors shall be equipped with a self-closing hinge. A clothes hook shall be furnished for each door. Theft-resistant, stainless steel pin-in-head, Torx screws shall be furnished for door hardware, U-channels, and angle brackets. Through bolts shall be used for securing latch keeper and panel-to-stiles brackets. Threaded inserts shall be factory installed to secure all door hinges and latches.

(insert one: Toilet Partitions, Dressing Compartments, Shower Dividers, Urinal Screens) shall be _____ Series (insert series number) of Bobrick Washroom Equipment, Inc., Clifton Park, New York; Jackson, Tennessee; Los Angeles, California; Bobrick Washroom Equipment Company, Scarborough, Ontario; Bobrick Washroom Equipment Pty. Ltd., Australia; and Bobrick Washroom Equipment Limited, United Kingdom.